RECEIVED CENTRAL FAX CENTER

Response to Office Action dated January 28, 2008

MAR 0 5 2008 Application No. 10/608,818

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Previously presented) A method comprising:
 - (a) connecting a user device via a publicly-accessible network to a server;
 - (b) receiving a certificate;
- (c) calculating an identifier of the received certificate and converting it to a character string;
 - (d) modifying the string by removing at least one random character from the string;
 - (e) displaying the modified string;
 - (f) receiving, from a user input corresponding to the at least one removed character; and
- (g) continuing connection to the server only if the user input matches the at least one removed character.
- (Original) The method of claim 1, further comprising randomly selecting multiple characters for removal.
- 3. (Original) The method of claim 2, wherein the randomly selected characters are replaced with a character indicating the replacement.
- 4. (Original) The method of claim 2, wherein the modified string is displayed with spaces replacing the removed characters.
- 5. (Original) The method of claim 1, wherein the device is a mobile telephone and the at least one removed character is a digit.
- 6. (Original) The method of claim 1, wherein receiving the certificate comprises receiving the certificate from a certification authority.
- 7. (Original) The method of claim 1, wherein the position of the at least one character removed from the string is different during a subsequent connection attempt.

string,

Response to Office Action dated January 28, 2008

Application No. 10/608,818

- 8. (Original) The method of claim 1, wherein the at least one removed character is removed based on the capabilities of the user device.
- 9. (Previously presented) The method of claim 1, wherein receiving input corresponding to the at least one removed character comprises receiving input from a user previously provided with the identifier through mail or a company newsletter.
- 10. (Original) The method of claim 1, wherein the at least one removed character is a digit, and wherein no non-digit characters are removed.
- 11. (Original) The method of claim 1, further comprising:repeating steps (a) through (g) on each attempt to connect the device to the server.
- 12. (Previously presented) A device comprising: an interface configured to access a publicly accessible network; and a processor configured to perform:

receiving, via the interface, a certificate from a remotely located server, calculating an identifier of the received certificate and converting it to a character

modifying the string by removing at least one random character from the string, displaying the modified string,

receiving, from a user of the device, input corresponding to the at least one removed character, and

continuing connection to the server only if the user input matches the at least one removed character.

13. (Previously presented) A machine-readable medium having machine-executable instructions for performing:

connecting a user device via a publicly-accessible network to a server; receiving a certificate;

Response to Office Action dated January 28, 2008

Application No. 10/608,818

calculating an identifier of the received certificate and converting it to a character string; modifying the string by removing at least one random character from the string; displaying the modified string;

receiving, from a user, input corresponding to the at least one removed character; and continuing connection to the server only if the user input matches the at least one removed character.

14. (Previously presented) A method for conducting secure communications, comprising: connecting a user device via a publicly-accessible network to a server; receiving a certificate;

receiving a modified identifier, the identifier having previously been calculated for the certificate outside of the user device and modified outside of the user device by removal of at least one random character;

displaying the modified identifier;

receiving, from a user previously provided with the identifier, input corresponding to the at least one removed character; and

continuing connection to the server only if the user input matches the at least one removed character.

- 15. (Previously presented) The method of claim 1, wherein the identifier was previously provided to the user through a trusted medium.
- 16. (Previously presented) The device of claim 12, wherein the identifier was previously provided to the user through a trusted medium.
- 17. (Previously presented) The device of claim 12, wherein the processor is further configured to perform:

randomly selecting multiple characters for removal, wherein the randomly selected characters are replaced with a character indicating the replacement.

Response to Office Action dated January 28, 2008

Application No. 10/608,818

- 18. (Previously presented) The device of claim 12, wherein the modified string is displayed with spaces replacing the removed characters.
- 19. (Previously presented) The device of claim 12, wherein the device is a mobile telephone and the at least one removed character is a digit.
- 20. (Previously presented) The device of claim 12, wherein the position of the at least one character removed from the string is different during a subsequent connection attempt.